



Steps to Update Encoders and Event Forwarding on AIS Application:

Note: These instructions are specific to KBYZ-FM and KLXX-FM

- 1) Run AIS updater application. This will update AIS to the latest version. If it doesn't come back up shortly after (give like 3 minutes) for some reason. Go to the desktop and right click on Start AIS and run as administrator.
- 2) Navigate to the Encoders tab on AIS




- 3) There will be 2 or 3 encoders on this page
- 4) For the AAC encoder (likely will be in the name) but you can tell as it displays MPEG in the menu.
 - a. Click stop encoder at the bottom when aac encoder is selected
 - b. Change MPEG mode from 2 to MPEG 4
 - c. AAC mode should be HE AACv2
 - d. Frag server should be <http://us-east.core-3.cis.amperwave.net/>
 - e. Click update on the lower right
 - f. Click Start Encoder
 - g. Ensure changes are saved




- 5) For the MP3 encoder
 - a. Click stop encoder at the bottom when Mp3 encoder is selected
 - b. Frag server should be <http://us-east.core-3.cis.amperwave.net/>


- c. Click update on the lower right
- d. Click Start Encoder
- e. Ensure Changes are saved




- 6) In the menu – Click Config – Event Forwarding
 - a. This will bring up the event forwarder list
 - b. On this list you will see an entry with the name PRT, click on this line
 - c. Once clicked, it will display the url on the bottom
 - d. In the URL field, paste http://prt.amperwave.net:8080/performance_post
 - e. Click Add. A second PRT entry should appear in the list.



- f. Click on the ORIGINAL PRT entry – The URL should read http://prt.abacast.com:8080/performance_post
- g. Click Remove selected



- h. Confirm the correct entry was removed
- i. Click 'Reload' to confirm this step, you'll see the PRT entry change locations on the list (probably on the top)



- j. Click Close

7) Go to file – Save Profile

- a. Should only be one save here, called default.ais. Click on it and click save
- b. On the bottom right, click Stop, and then Start